



Erremix  
junior





# Erremix junior



*External catering services*



*Fast food services*



*À la carte catering*



*Bakeries/ Confectioners*



Small dimensions, big performance.

**Erremix junior** is a gem of efficiency and flexibility.

It will turn out anything you want when you want.

And everything it turns out - round the clock - is always fresh and crisp, perfect in appearance and taste.

Individual portions and small quantities cooked to a turn, just like larger ones.

With fresh or re-generated food, it fully preserves specific nutrients.

Easy to install and use, **Erremix junior** saves time and energy, and guarantees long life and maximum hygiene.



Under 4 burners  
for series 64/700/900



On blast chiller



Counter



On stand



Suspended



# You don't need to be big to do great things

A small oven can stand anywhere, it's compact, economical and easy to clean.

It's also unique if - like **Erremix junior** - it's powerful and versatile enough to do everything a large oven would do.

From the wide range of Erremix ovens, the right one for limited space: carefully built in every detail and able to provide express freshness at any time.

Try **Erremix junior** and experience the unexpected greatness of such a small oven.

Display

Cooking method

Temperature

Cooking time

Reset  
(gas models only)

Humidification



Convection



Mixed cycle  
Convection/Steam



Steam



Rapid cooling with  
door open



*Delicatessen  
Butcher's shops*



*Wine-bars  
Snack services*



*School food services*



*Stands/ Kiosks*



*Meals on wheels  
Take-away*





**Erremix junior** is the ideal oven for:

- External catering - food services
- Delicatessen/Butcher's - Bakeries/Confectioner's
- School canteens - Wine-bars/Snack services
- Franchised delicatessen chains - à la carte meals
- Show cooking
- Meals on wheels/Take away - Stands/Kiosks

That is to say, for any activity that demands guaranteed freshness and quality without wasting materials or time.



Mechanical controls - with boiler		No. Trays	External dimensions LxDxH	Voltage	Power
	<b>032</b> ⚡ EMJ.E032 MN	3 GN2/3	cm. 61 - 45 - 37	AC 230V/50 Hz	Electric 2,85 kW
	<b>041</b> 🔥 EMJ.G041 M...	4 GN1/1	cm. 80 - 68 - 75	AC 230V/50 Hz	Gas 8,5 kW Electric 0,5 kW
	⚡ EMJ.E041 M...	4 GN1/1	cm. 80 - 68 - 75	AC 400V-3N/50 Hz	Electric 6,5 kW

**Versions** (...N) Standard version • (...W) With cleaning Wash-System • (...P) With core temperature probe • (...A) With accessories (Wash-System, probe and reduced power and fan speeds)

